


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
CAPSTAN AG INC. ANY REPRODUCTION IN PART OR AS A WHOLE
WITHOUT WRITTEN PERMISSION OF CAPSTAN AG INC IS PROHIBITED

REV	DESCRIPTION	DATE	BY
A	Production Release	8/13/12	BLS
B	15" was 8", Item 44, 715005-142 was 715005-145, Item 45, 715005-143 was 715005-148, Added note 2	8/26/13	BLS
C	Item 13, 706530-316 qty 5 was 6 Item 48, 708000-159, qty 1 was 7 Added item 53 708000-162, qty 6	1/14/14	BLS



Notes:

1. Terminate this end of green wire, heat shrink and insert inside sleeving.
2. Crimp, solder and heat shrink -6 pls.

Obsolete
Replaced by
118669-100

UNLESS OTHERWISE SPECIFIED:		 CAPSTAN[®] Ag Systems, Inc.		CAPSTAN AG SYSTEMS, INC. 101 N. KANSAS AVE., TOPEKA, KS 66603													
DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±		<table><tr><td></td><td>Name</td><td>Date</td></tr><tr><td>Drawn</td><td>TCK</td><td>1/25/11</td></tr><tr><td>Checked</td><td></td><td></td></tr><tr><td>QA APP</td><td></td><td></td></tr></table>		Name	Date	Drawn	TCK	1/25/11	Checked			QA APP			TITLE: Harness, Case Chassis PinPoint		
	Name	Date															
Drawn	TCK	1/25/11															
Checked																	
QA APP																	
MATERIAL				SIZE B	DWG No: 118669-001	REV C											
FINISH				SCALE: None		SHEET 1 of 3											
DO NOT SCALE DRAWING																	

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
 CAPSTAN AG INC. ANY REPRODUCTION IN PART OR AS A WHOLE
 WITHOUT WRITTEN PERMISSION OF CAPSTAN AG INC IS PROHIBITED

REV	DESCRIPTION	DATE	BY
A	Production Release	8/13/12	BLS
C	See page 1	1/14/14	BLS

Obsolete
 Replaced by
 118669-100


40	708000-185	Wire, 18 Ga, Violet, GXL	18
39	708000-182/9	Wire, 18 Ga, Yellow/White, GXL	332
38	708000-182	Wire, 18 Ga, Yellow, GXL	332
37	708000-181	Wire, 18 Ga, Tan, GXL	18
36	708000-179/9	Wire, 18 Ga, Brown/White, GXL	46
35	708000-179	Wire, 18 Ga, Brown, GXL	46
34	708000-178/9	Wire, 18 Ga, Blue/White, GXL	64
33	708000-178	Wire, 18 Ga, Blue, GXL	64
32	708000-177/9	Wire, 18 Ga, Black/White, GXL	392
31	708000-177	Wire, 18 Ga, Black, GXL	386
30	708000-176/9	Wire, 18 Ga, Red/White, GXL	314
29	708000-176	Wire, 18 Ga, Red, GXL	314
28	708000-175/6	Wire, 18 Ga, White/Blue, GXL	46
27	708000-175/1	Wire, 18 Ga, White/Brown, GXL	46
26	708000-175/0	Wire, 18 Ga, White/Black, GXL	46
25	708000-174/9	Wire, 18 Ga, Green/White, GXL	628
24	708000-174/3	Wire, 18 Ga, Green/Orange, GXL	18
23	708000-174	Wire, 18 Ga, Green, GXL	628
22	708000-142	Wire, 8 Ga, Red, GXL	363
21	708000-141	Wire, 8 Ga, Black, GXL	356
20	706530-346	Plug, Cavity, 16-18 Ga. DT	25
19	706530-446	Plug, Cavity, 16-20 Ga. DTM	14
18	706530-336	Contact Socket, 16-18 Ga DT	23
17	706530-335	Contact, Pin, 16-18 Ga. DT	10
16	706530-436	Contact Socket, 16-20 Ga. DTM	17
15	706530-435	Contact, Pin, 16-20 Ga, DTM	17
14	706530-314	Wedge, Plug, 2 Pin, DT	1
13	706530-316	Wedge, Plug, 6 Pin, DT	5
12	706530-318	Wedge, Plug, 8 Pin, DT	1
11	706530-321	Wedge, Receptical, 12 Pin, DT	1
10	706530-422	Wedge, Plug, 12 Pin, DTM	2
9	706530-421	Wedge, Receptical, 12 Pin, DTM	2
8	706530-304	Connector, Plug, 2 Pin, DT	1
7	706530-306	Connector, Plug, 6 Pin, DT	5
6	706530-308	Connector, Plug, 8 Pin, DT	1
5	706530-341	Connector, Receptical, 12 Pin, DT	1
4	706530-413	Connector, Receptical, 12 Pin, DTM-B	1
3	706530-411	Connector, Receptical, 12 Pin, DTM-A	1
2	706530-414	Connector, Plug, 12 Pin, DTM-B	1
1	706530-412	Connector, Plug, 12 Pin, DTM-A	1

53	708000-162	Tube, Heat Shrink 1/4 x 1.25	6
52	706530-315	Wedge, Receptical, 6 Pin	1
51	706530-305	Connector Recptical, 6 Pin DT	1
50	708000-197	Sleeving, Split, 3/4", Black	290
49	708000-196	Sleeving, Split, 1/2" Black	82
48	708000-159	Tube, Heat Shrink 3/16 x 1.25	1
47	705726-119	Battery Boot, Red	1
46	705726-118	Battery Boot, Black	1
45	715005-143	Terminal, Ring, 8 Ga, 3/8"	4
44	715005-142	Terminal, Ring, 8 Ga, 1/4"	2
43	705726-117	Circuit Breaker, 80 Amp	1
42	708000-186	Wire, 18 Ga, Orange	87
41	708000-185/9	Wire, 18 Ga, Violet/White, GXL	18

Item	Part Number	Description	Qty
------	-------------	-------------	-----

Item	Part Number	Description	Qty						
UNLESS OTHERWISE SPECIFIED:		 CAPSTAN Ag Systems, Inc. CAPSTAN AG SYSTEMS, INC. 101 N. KANSAS AVE., TOPEKA, KS 66603							
DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ± INTERPRET GEOMETRIC TOLERANCING PER:		TITLE: Harness, Case Chassis PinPoint							
MATERIAL FINISH DO NOT SCALE DRAWING		<table> <tr> <td>SIZE</td><td>DWG No:</td><td>REV</td></tr> <tr> <td>B</td><td>118669-001</td><td>C</td></tr> </table>		SIZE	DWG No:	REV	B	118669-001	C
SIZE	DWG No:	REV							
B	118669-001	C							
SCALE:		None							
SHEET		2 of 3							

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
CAPSTAN AG INC. ANY REPRODUCTION IN PART OR AS A WHOLE
WITHOUT WRITTEN PERMISSION OF CAPSTAN AG INC IS PROHIBITED



Obsolete
replaced by
118669-100

UNLESS OTHERWISE SPECIFIED:		 CAPSTAN Ag Systems, Inc.		CAPSTAN AG SYSTEMS, INC. 101 N. KANSAS AVE., TOPEKA, KS 66603	
DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ± INTERPRET GEOMETRIC TOLERANCING PER:			Name	Date	TITLE: Harness, Case, Chassis PinPoint
		Drawn	TCK	1/25/11	
		Checked			
		QA APP			
MATERIAL		SIZE	DWG No:		REV
FINISH		B	118669-001		C
DO NOT SCALE DRAWING		SCALE: None			SHEET 3 of 3